DOCUMENT RESUME

ED 329 569 TM 016 193

AUTHOR Spray, Judith A.; And Others

TITLE Comparison of Two Logistic Multidimensional Item

Response Theory Models. Research Report ONR90-8.

INSTITUTION American Coll. Testing Program, Iowa City, Iowa.

SPONS AGENCY Office of Naval Research, Arlington, VA. Cognitive

and Neural Sciences Div.

REPORT NO ACT-RR-90-8; ONR90-8

PUB DATE Oct 90

CONTRACT N00014-89-J-1908

NOTE 47p.

AVAILABLE FROM ACT Research Report Series, P.O. Box 168. Iowa City,

IA 52243.

PUB TYPE Reports - Research/Technical (143)

EDRS PRICE MF01/PC02 Plus Postage.

DESCRIPTORS Ability; Comparative Analysis; *Item Response Theory;

*Mat.ematical Models; *Scores; *Test Items

IDENTIFIERS Ability Estimates; *Multidimensional Models

ABSTRACT

Test data generated according to two different multidimensional item response theory (IRT) models were compared at both the item response level and the test score level to determine whether measurable differences between the models could be detected when the data sets were constrained to be equivalent in terms of item "p"-values. The models chosen were the multiplicative multidimensional IRT model (non-compensatory) and a linear multidimensional IRT model (compensatory). Data on a 20-item test for 2,000 examinees were used. Although differences could be detected at the item level, these differences decreased as the correlation between examinee abilities increased. Furthermore, these item differences were small and could be considered unimportant or insignificant from a practical standpoint. No differences were found at the total test score level, and it was concluded that, at least for the data used in this study, the models were indistinguishable. Nine tables and eight figures present study data. (Author/SLD)

Reproductions supplied by EDRS are the best that can be made

ACT Research Report Series

90-8

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

- This document has been reproduced as received from the person or organization originating it.
- Minor changes have been made to improve reproduction quality
- Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

Comparison of Two Logistic Multidimensional Item Response Theory Models

Research Report ONR90-8

Judith A. Spray, Tim C. Davey, Mark D. Reckase Terry A. Ackerman James E. Carlson

Prepared under Contract No. N00014-89-J-1908, Contract Authority Identification No. NR 154-531, with the Cognitive Science Research Program of the Office of Naval Research.

Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.

October 1990

BEST COPY AVAILABLE





For additional copies write: ACT Research Report Series P.O. Box 168 Iowa City, Iowa 52243

© 1990 by The American College Testing Program. All rights reserved.



Comparison of Two Logistic Multidimensional Item Response Theory Models

Judith A. Spray, Tim C. Davey, and Mark D. Reckase

American College Testing

Terry A. Ackerman

University of Illinois

James E. Carlson

Auburn University at Montgomery

Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.



| SECURITY CL | ACCIDIC / | ATION OF | THIS DACE |
|-------------|-----------|----------|-----------|

| REPORT | ORT DOCUMENTATION PAGE | | | | Form Approved OMB No. 0704 0188 |
|---|----------------------------------|-------------------------------|-----------------------------------|----------------------|---|
| 1a REPORT SECURITY CLASSIFICATION UNCLASSIFIED | | 16 RESTRICTIVE | MARKINGS | | |
| 28 SECURITY CLASSIFICATION AUTHORITY | | 3 DISTRIBUTION | AVAILABILITY O | F REPORT | Approved for |
| 26 DECLASSIFICATION / DOWNGRADING SCHEDULE | | Reproduc | tion in who | le or i | tion unlimited. In part is of the U.S. Gove |
| 4 PERFORMING ORGANIZATION REPORT NUMBER | R(S) | | ORGANIZATION R | | |
| ONR 90-8 | | | | | |
| 6a NAME OF PERFORMING ORGANIZATION ACT | COGNITIVI | ONITORING ORGA E SCIENCE R | ESEARCH | I PROGRAMS | |
| 6c. ADDRESS (City, State, and ZIP Code) | <u> </u> | | F NAVAL RES ty. State. and ZIP | | |
| P.O. Box 168 Iowa City, IA 52243 | | Code 114: Arlington | 2CS n, VA 2221 | 7-5000 | |
| 8a. NAME OF FUNDING / SPONSORING ORGANIZATION | 8b OFFICE SYMBOL (If applicable) | 9 PROCUREMEN NOO014-89 | TINSTRUMENT 10 9-J-1908 | ENTIFICATI | ON NUMBER |
| 8c. ADDRESS (City, State, and ZIP Code) | <u> </u> | 10 SOURCE OF | FUNDING NUMBER | 25 | |
| | | PROGRAM ELEMENT NO | PROJECT NO | 1ASK NO | WORK UNIT ACCESSION NO |
| 11 TITLE (Include Security Classification) | | 61153N | RR04204 | RR0420 | 0401 4421556 |
| Comparison of two logistic | multidimensiona | l item respo | onse theory | mode1s | |
| 12 PERSONAL AUTHOR(S) | | | | | |
| Judith A. Spray, Tim C. Dave | | kase, Terry | | | |
| | 1 | 1990, Octo | | | _37_ |
| 16 SUPPLEMENTARY NOTATION | | | | | |
| 17 COSATI CODES | 18 SUBJECT TERMS (| | · | • | y block number) |
| FIELD GROUP SUB-GROUP 05 09 | 1 | sional Item ry Models, N | • | , , | dels |
| 19 ABSTRACT (Continue on reverse if necessary Test data generated acc | and identify by block ni | umber) | _ | <u>-</u> | |
| Test data generated acc theory models were compared | - | | | | • |
| to determine if measurable d | | • | | | |
| data sets were constrained t | | | - | | - |
| differences could be detecte correlation between examinee | | • | | | |
| were small in magnitude and | | | - | | |
| a practical standpoint. No | differences wer | e found at | the total to | est sco | ore level, and |
| it was concluded that, at le | ast for the dat | a used in th | nis study, | the mod | els were |
| indistinguishable. | | | | | |
| | | | | | |
| 20 DISTRIBUTION AVAILABILITY OF ABSTRACT | | ADSTRACT CO | CHOIS V. C. ALLIN I | \ F _{1/} \A | |
| ■ UNCLASSIFIED/UNLIMITED □ SAME AS R | PT [] DTIC USERS | 21 ABSTRACT SEC UNCLASSI | FIED | | |
| 22a NAME OF RESPONSIBLE INDIVIDUAL | | 226 TELEPHONE (| | 1 | |
| Dr. Charles Davis DD Form 1473, JUN 86 | Previous editions are c | (703) 69 | | | NR 1142CS |

Abstract

Test data generated according to two different multidimensional item response theory models were compared at both the item response level and the test score level to determine if measurable differences between the models could be detected when the data sets were constrained to be equivalent in terms of item p-values. Although differences could be detected at the item level, these differences decreased as the correlation between examinee abilities increased. Furthermore, these item differences were small in magnitude and could be considered unimportant or insignificant from a practical standpoint. No differences were found at the total test score level, and it was concluded that, at least for the data used in this study, the models were indistinguishable.



Comparison of Two Logistic Multidimensional Item Response Theory Models

Psychometricians who have some interest in multidimensional item response theory (MIRT) modeling may be familiar with the terms, compensatory and noncompensatory as they relate to two general model classification schemes. Ansley and Forsyth (1985) contrasted the two types of model classifications as follows. "Compensatory models, unlike noncompensatory models, permit high ability on one dimension to compensate for low ability on another dimension in terms of probability of correct response. In the noncompensatory models, the minimum factor (probability) in the denominator is the upper bound for the probability of a correct response. Thus, for a two-dimensional item, a person with a very low ability on one dimension and very high ability on the other has a very low probability of correctly answering the item" (p. 40).

Typically, MIRT models of the compensatory type, such as the logistic MIRT model (Doody-Bogan & Yen, 1983; Hattie, 1981; Reckase, 1985, 1986) or the normal ogive MIRT model (Samejima, 1974) imply linear combinations of the multidimensional abilities in the exponent of the expression for the probability of a correct response. In this linear fashion, a low ability on one or more of the k ability dimensions can be compensated by a higher ability on one or more of the remaining dimensions. Because the compensation is a characteristic of this linear combination, such models are probably more accurately labeled *linear* MIRT models. A typical linear logistic MIRT model of the compensatory type can be written as

$$P_{j}(\boldsymbol{\theta}_{i}) - c_{j} + (1 - c_{j}) \frac{e^{\frac{k}{\sum_{j \in \mathcal{D}} f_{ijm} + d_{j}}}{e^{m-1}}}{1 + e^{m-1}}.$$
 (1)



where

 $f_{ijm} = a_{im}\theta_{im}$

 c_i = the pseudo-guessing parameter of the jth item,

 a_{jm} = the discrimination parameter for the jth item on the mth dimension,

 d_i = the difficulty parameter for the jth item, and

 θ_{im} = the *m*th element in the *i*th person's ability vector,

O,

In this model the favorable response probability, $P_j(\boldsymbol{\theta}_i)$, is bounded from below by c_j . However, because the upper bound of $P_j(\boldsymbol{\theta}_i)$ is not a function of any one ability dimension, it increases monotonically as $\sum_{m=1}^{k} f_{ijm}$ increases.

On the other hand, noncompensatory MIRT models (Sympson, 1978; Embretson, 1984) describe the probability of a favorable response in terms of a product of k functions of ability on a single dimension and item characteristics. In its most common form, a logistic MIRT model of this noncompensatory or multiplicative type can be written as

$$P_{j}(\boldsymbol{\theta}_{i}) - c_{j} + (1 - c_{j}) \prod_{m=1}^{k} \frac{e^{f_{ijm}}}{(1 + e^{f_{ijm}})},$$
 (2)

where now we let $f_{ijm} = [a_{jm} (\theta_{im} - b_{jm})]$ with $b_{jm} =$ the difficulty parameter for the jth item on the mth dimension. $P_j(\theta_i)$ is bounded by an upper asymptote equal to the minimum of $\exp\{f_{ijm}\}/(1+\exp\{f_{ijm}\})$, and the lower asymptote, c_j , for any given examinee with $\theta = \theta_i$. Thus, the noncompensatory nature of the model is due to the fact that $P_j(\theta_i)$ can never be greater than the minimum value of the terms in the product, $\exp\{f_{ijm}\}/(1+\exp\{f_{ijm}\})$, a function of the smallest value of the k



ability dimensions for a given examinee. Because of its multiplicative form, the model is more generally labeled as a *multiplicative* MIRT model.

Researchers have used the multiplicative MIRT model to examine characteristics of unidimensional item response theory parameter estimates derived from MIRT response data (Ansley & Forsyth, 1985) and to model certain multicomponent latent traits in response processes (Embretson, 1984). Reckase (1985) has used a linear MIRT model on real response data to estimate two-dimensional item and person parameters on an ACT Assessment Mathematics Usage test. However, no one has actually shown that one model is more representative of the actual item-examinee response process than the other. It may even be possible that one model may be appropriate under one set of circumstances while the other type may be more appropriate in other situations.

In this paper we investigate the differences between item responses generated by these two logistic MIRT models. We have been interested in determining whether or not it is possible to distinguish one model or process from the other through some evaluation of response data. More specifically, our concern has been in establishing whether or not it is possible to detect differences between these two MIRT models, either at the item response or test score level, when the item parameters from each MIRT model have been matched or equated in some sense.

The first task was to establish the item parameters from one of the logistic MIRT models that would produce "reasonable" p-values or proportion-correct indices for a specified examinee population. Therefore, a target distribution of p-values for a 20-item test was conceived and item parameters for a linear or compensatory MIRT model were chosen, basically by trial-and-error, until the expected p-value with respect to this examinee population matched the target distribution. Table 1 gives the set of item parameters for the 20 items for the model given by equation (1). The table also gives the expected value of each p-value under the assumption that the ability vector, θ , for the examinee population,



was distributed as bivariate normal with mean vector, **0**, and variance-covariance matrix of ones along the diagonal and with nondiagonal values equal to rho (.00, .25, .50, or .75). All c-parameters were set to zero.

Insert Table 1 Here

In order to produce a comparable or "matched" set of noncompensatory, or multiplicative model item parameters, estimates of these item parameters were obtained by minimizing

$$\sum_{i=1}^{N} \left[P_{C}(\boldsymbol{\theta}_{i}, \boldsymbol{a}, d) \right] - \left[P_{NC}(\boldsymbol{\theta}_{i}, \boldsymbol{\hat{a}}, \boldsymbol{\hat{b}}) \right]^{2}$$
(3)

for N=2000 randomly selected examinees with ability, $\mathbf{0}$, distributed as given previously, where $P_{\rm C}$ and $P_{\rm NC}$ represent logistic MIRT models given by equations (1) and (2), respectively. This process was repeated for 10 replications for each of k=1,2,...,20 items to insure that the estimates obtained weren't unduly influenced by the samples selected or the starting values used. Mean values of the replication estimates yielded the noncompensatory item parameters listed in Tables 2-5, for rho values of .00, .25, .50, and .75. The expected value of each item's p-value is given in the last column of each table. Because the least squares minimization procedure produces unbiased estimates of $P_{\rm NC}$, the expected value of each p-value under the noncompensatory model should be equal to that of the compensatory model, within some estimation error. Equivalence of p-values was the critical matching criterion between the two MIRT models.

Insert Tables 2-5 Here



Model Differences at the Total Test Level

By treating the two sets of item parameters as known for each of the two MIRT models, we first investigated the differences between expected number-correct score frequencies of a 20-item test when Θ was distributed as a bivariate normal random vector with distributions given previously. These frequencies were estimated by evaluating either the number-correct distribution under the compensatory model, $h_{\rm C}(y)$ or the noncompensatory model, $h_{\rm NC}(y)$, for y = 0, 1, 2, ..., 20, or

$$h_{\mathcal{C}}(y) = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} f_{\mathcal{C}}(y \mid \mathbf{\Theta}) \ g(\mathbf{\Theta}) \ d\theta_1 \ d\theta_2$$
 (4)

and

$$h_{NC}(y) - \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} f_{NC}(y \mid \mathbf{\Theta}) \ g(\mathbf{\Theta}) \ d\theta_1 \ d\theta_2 \ . \tag{5}$$

In each case, the conditional frequencies, $f_C(y \mid \theta)$ and $f_{NC}(y \mid \theta)$, were computed using either models (1) or (2), and a recursive procedure described by Lord and Wingersky (1984). Table 6 gives the signed differences between the frequencies, $h_C(y) - h_{NC}(y)$, for y = 0, 1, 2, ..., 20, for rho values of .00, .25, .50, and .75. The greatest differences, as expected, occurred for the highest number-correct scores, but the differences in frequencies were small, never greater than .015. For most number-correct score values, these differences became smaller as rho increased.



Another way to assess the significance of these differences was to determine how much data would need to be observed before the differences were statistically detectable. This was done by calculating the minimum sample size required to reject the homogeneity of parallel populations with given levels of test significance and power. These calculations assumed a multivariate normal approximation for each model's multinomial distribution of observed-score frequencies which in turn produced the quadratic form of the noncentrality parameter of a noncentral chi square distribution. The minimum sample size followed as a direct function of this parameter, the specified test significance, and power. For example, with a significance level of .01 and power equal to .95, the minimum sample sizes were 1678, 3242, 7466, and 15311 for correlated ability distributions with rho equal to .00, .25, .50, and .75, respectively. These sample sizes state that even in the unlikely event of uncorrelated ability distributions, it would still require at least 1678 observed scores from both the compensatory and noncompensatory MIRT models before the null hypothesis of model equivalence could be rejected with a power of .95.

Insert Table 6 Here

.....

.....

The first four (central) moments of each number-correct distribution are given in Table 7 for each value of rho. Both distributions were negatively skewed with the compensatory distribution slightly more platykurtic and both were generally flatter than the normal distribution. The variances of the number-correct scores increased with an increase in rho, and in general, the distributions of number-correct scores became increasingly similar as rho increased.

| Insert | Table | 7 | Here | |
|--------|-------|---|------|--|
| | | | | |



7

A contour plot of the (signed) difference between the number-correct true scores under the two models, or

$$\sum_{i=1}^{20} P_{iC}(\boldsymbol{\theta}) - \sum_{i=1}^{20} P_{jNC}(\boldsymbol{\theta})$$

was another way to observe model differences at the total test level for various (θ_1, θ_2) points in the ability space. The greatest differences occurred when either θ_1 or θ_2 was low. See Figures 1-4 for rho values of .00. .25, .50, and .75, respectively. It should be noted that, in these plots, the only influence of rho was through the values of the noncompensatory item parameters. Recall that the compensatory item parameters were fixed for all values of rho. Therefore, when interpreting these contour plots, one has to mentally superimpose the appropriate bivariate normal distribution over the contours in order to evaluate the importance of the true-score differences observed.

Insert Figures 1-4 Here

Another way to compare the two MIRT models was to observe the amount of multidimensional information (MINF) for different points in the ability space between the two models. MINF has been defined (Reckase, 1986) as a direct generalization of the unidimensional IRT concept of item information (i.e, the ratio of the square of the slope of the item characteristic curve at an ability point, θ , to the variance of the error of the item score at that level of θ). For the definition of MINF, the slope of the item characteristic surface must be evaluated in a particular direction, α , a vector of angles with the coordinate axes of the ability space.

Plots of the absolute difference between the compensatory and noncompensatory test information vectors (i.e, the sum of item information across



the 20 items) for item parameters estimated with rho values of .00, .25, .50, and .75 (Figures 5-8, respectively) showed that model differences might be significant if abilities were negatively correlated. However, for all "likely" ability distributions, there were no meaningful differences in MINF between the two models, and these absolute differences appeared to decrease as rho increased.

Insert Figures 5-8 Here

Model Differences at the Item Level

It was also of interest to evaluate the differences between models at the single item response level. There were two ways in which this was done. The first involved the evaluation of the *ideal observer index* (Davey, Levine, & Williams, 1989; Levine, Drasgow, Williams, McCusker, & Thomasson, 1990). A more complete definition of this index is provided in the appendix of this paper. However, a simplified definition is as follows. The *ideal observer index* (IOI) is a measure of the proportional number of times that a correct decision is made concerning which of the two competing models produced a particular response to an item. The decision is one that is made hypothetically by an "ideal observer," or an individual who has access to all of the information necessary to yield the highest possible percent of model classification (i.e., compensatory vs. noncompensatory). As far as the ideal observer is concerned, if the item response data fail to distinguish between the two competing models, then the value of this index would be at or near the chance level of .5. Conversely, readily distinguishable models should yield an index near 1.0.

Table 8 shows that the IOI was greater than chance, implying that there was a difference between the models for all 20 items. However, the IOI was never greater than .60 and was greater than .55 for only three items, numbers 3, 6,



and 7, when rho was .00. The value of the IOI decreased for each item as rho increased, implying that it became more difficult to distinguish between the models as the correlation coefficient increased.

One way to think of the magnitude of the IOI was to imagine how many trials of the IO experiment would be necessary before the ideal observer could ascertain, with some given level of certainty, that the models were actually distinguishable. This would be comparable to a test of the difference between any obtained IOI from Table 8 and the null proportion of correct model classifications due to chance. For example, to be able to detect a true difference between the models for item number 6 with a zero value of rho would require at least 40 trials of the IO experiment. This would be comparable to a test of the null proportion of correct classifications due to chance or .50 versus the (true) alternative proportion (.555) with a significance of .01 and power of .95. Conversely, a true IOI of .52 would require more than 290 trials at similar levels of test significance and power.

Insert Table 8 Here

Another way to evaluate model differences at the item level was to use a generalized MIRT model, or a reparameterization of both the compensatory and noncompensatory models into a single MIRT model, or

$$P_{j}(\boldsymbol{\theta}_{i}) - c_{j} + (1-c_{j}) \frac{e^{f_{ij1} + f_{ij2}}}{1 + e^{f_{ij1} + f_{ij2}} + \mu(e^{f_{ij1}} + e^{f_{ij2}})}, \qquad (6)$$

where μ represented an indicator variable such that

 $\mu = \begin{cases} 0, & \text{for the linear or compensatory MIRT model,} \\ 1, & \text{for the multiplicative or noncompensatory MIRT model.} \end{cases}$



Item response data, x_{ij} , were generated from samples of size N=2000 of Θ_i drawn from the bivariate normal distributions mentioned previously. The response data were known to have been produced by either the compensatory or noncompensatory MIRT model and were simulated by comparing the known values of $P_i(\Theta_i)$ to a pseudorandomly drawn uniform deviate, ω , such that

$$x_{ij} = \begin{cases} 1, & 0 \leq \omega < P_j(\boldsymbol{\theta}_i) \\ 0, & P_j(\boldsymbol{\theta}_i) \leq \omega < 1 \end{cases}$$

The least squares estimation procedure was used to estimate the generalized MIRT model parameters. Each estimation was replicated 10 times with randomly selected starting values. Either four or five unique item parameters were estimated from the generalized MIRT model, as given by equation (6). The same item parameters that were given in tables 1-5 were used to generate the response data for the estimation procedure. When the response data were generated by the compensatory model, a_1 , a_2 , and d (i.e., $d = -a_1b_1 - a_2b_2$) as well as μ , were estimated. When the response data were generated by the noncompensatory model, a_1 , a_2 , b_1 , b_2 , and μ were estimated.

Table 9 shows the average bias in the item parameter estimates and the standard deviations of the estimates (in parentheses). For compensatory data, the model parameter, μ was estimated fairly accurately for the uncorrelated situation, but the amount of bias and the standard deviation of the estimates increased as rho increased. A similar situation occurred with noncompensatory data. However, although the amount of estimation error increased as the correlation between the abilities increased, the model still remained *identifiable*, in the sense that for compensatory data, the μ estimates were statistically "close" to zero.



Likewise, for noncompensatory data, the μ estimates were satisfically "close" to one.

Insert Table 9 Here

The IOI analysis and the generalized MIRT model estimation gave similar results. That is, there were model differences at the item level, but these differences tended to decrease as the correlation in abilities increased. The generalized MIRT analysis also suggested that these differences might still be estimable, however, even when abilities are strongly correlated.

Summary and Conclusions

These analyses and results seem to indicate that even though it is difficult to observe model differences at the overall test score level, there still may be measurable differences between the responses at the item level. Because the matching criterion between the two models resulted in similar expected p-values, we anticipated small differences at the total test score response level, or at the true score level. The differences that were detected at this level were consistent with the differences implied in the two models. Fewer high, number-correct scores or estimated true scores were observed from the noncompensatory model, but these and other total test differences decreased as rho increased. As for the item response level analysis, both the IOI and the generalized MIRT model estimation showed that it is possible to quantify these differences and to distinguish between the data generated by carefully matched item response models of these two types. However, these differences, although real, are very small and probably not significant from any practical standpoint.



Although it is difficult to generalize beyond the two-dimensional situation used in the present study, it would appear to be difficult to distinguish between the two models without the benefit of any prior knowledge of item parameters or abilities. Even with such prior knowledge, response data generated by the models are nearly indistinguishable, especially with correlated abilities, which is likely the case in many real testing situations.



References

- Ansley, T. N., & Forsyth, R. A. (1985). An examination of the characteristics of unidimensional IRT parameter estimates derived from two-dimensional data. *Applied Psychological Measurement*, 9, 37-48.
- Davey, T., Levine, M., & Williams, B. (1989, May). Quantifying item and model fit. Paper presented at the Office of Naval Research Contractor's Meeting on Model-based Psychological Measurement, Norman, OK.
- Doody-Bogan, E., & Yen, W. M. (1983, April). Detecting multidimensionality and examining its effects on vertical equating with the three-parameter logistic model. Paper presented at the Annual meeting of the American Educational Research Association, Montreal.
- Embretson, S. (1984). A general latent trait model for response processes. Psychometrika, 49, 175-186.
- Hattie, J. (1981). Decision criteria for determining unidimensionality.

 Unpublished doctoral dissertation, University of Toronto, Toronto.
- Levine, M. V., Drasgow, F., Williams, B., McCusker, C., & Thomasson, G. (1990). Distinguishing between item response models. Unpublished manuscript.
- Lord, F. M., & Wingersky, M. S. (1984). Comparison of IRT true-score and equipercentile observed-score "equatings." *Applied Psychological Measurement*, 8, 453-461.
- Reckase, M. D. (1985). The difficulty of test items that measure more than one ability. Applied Psychological Measurement, 9, 401-412.
- Reckase, M. D. (1986, April). The discriminating power of items that measure more than one dimension. Paper presented at the annual meeting of the American Educational Research Association, San Francisco.
- Samejima, F. (1974). Normal ogive model on the continuous response level in the multidimensional latent space. *Psychometrika* 39, 111-121.



References

Sympson, J. B. (1978). A model for testing with multidimensional items. In D. J. Weiss (Ed.), *Proceedings of the 1977 Computerized Adaptive Testing Conference* (pp. 82-98). Minneapolis: University of Minnesota, Department of Psychology, Psychometric Methods Program.



Appendix

Analytical Definition of the Ideal Observer Index

A hypothetical observer is presented with two abilities, t_1 and t_2 , each with their associated item responses, u_1 and u_2 . The observer is informed that one ability-response pair was generated by one of two competing item response models, while the other pair was generated under the second model. The task is to correctly match each ability-response pair with the proper generating model. To make this decision, the observer is given access to both competing item response functions, P_1 and P_2 , and the common ability distribution, f(t).

An ideal observer bases this decision on an optimal rule, δ , which is determined by the ratio of likelihood functions, $L_i(t_j, u_j) = P_i(t_j)^{u_j} Q_i(t_j)^{1-u_j}$, where $Q_i(t_j) = 1 - P_i(t_j)$, i = 1, 2; j = 1, 2. The decision rule, δ , is then defined as

$$\begin{array}{ll} & \text{if } L_1(t_1,\!u_1) + L_2(t_2,\!u_2) > L_1(t_2,\!u_2) + L_2(t_1,\!u_1), \text{ then decide model } \{P_1;f\} \\ & \text{produced sample } \{t_1,\!u_1\} \text{ while model } \{P_2;f\} \text{ produced } \{t_2,\!u_2\}. \\ \delta = & \text{if } L_1(t_2,\!u_2) + L_2(t_1,\!u_1) > L_1(t_1,\!u_1) + L_2(t_2,\!u_2), \text{ then decide model } \{P_2;f\} \\ & \text{produced sample } \{t_1,\!u_1\} \text{ while model } \{P_1;f\} \text{ produced } \{^*_2,\!u_2\}. \end{array}$$

The probability of this decision rule being correct, given the model, is

$$\begin{split} \text{Prob}[\delta \; \text{correct} \, | \, \text{model}] \; &= \; \; \text{Prob}[L_1(t_1,\!u_1) \, \cdot \, L_2(t_2,\!u_2) \, > \, L_1(t_2,\!u_2) \, \cdot \, L_2(t_1,\!u_1) \, | \, \{P_1;f\} \& \, \{P_2;f\}] \; + \\ & \; \; \text{Prob}[L_1(t_2,\!u_2) \, \cdot \, L_2(t_1,\!u_1) \, > \, L_1(t_1,\!u_1) \, \cdot \, L_2(t_2,\!u_2) \, | \, \{P_2;f\} \& \, \{P_1;f\}]. \end{split}$$



The response pair, \mathbf{u} , where $\mathbf{u} = (\mathbf{u}_1, \mathbf{u}_2)$, can be defined in four possible patterns: (1,1), (1,0), (0,1), and (0,0). Therefore,

$$\begin{split} & \text{Prob}[L_1(t_1, u_1) \cdot L_2(t_2, u_2) > L_1(t_2, u_2) \cdot L_2(t_1, u_1) | \{P_1; f\} \& \{P_2; f\}\} = \\ & \text{Prob}[P_1(t_1) \cdot P_2(t_2) > P_1(t_2) \cdot P_2(t_1) | \mathbf{u} = (1, 1)] \cdot \text{Prob}[\mathbf{u} = (1, 1) | \{P_1; f\} \& \{P_2; f\}\}] \\ & + \text{Prob}[P_1(t_1) \cdot Q_2(t_2) > Q_1(t_2) \cdot P_2(t_1) | \mathbf{u} = (1, 0)] \cdot \text{Prob}[\mathbf{u} = (1, 0) | \{P_1; f\} \& \{P_2; f\}\}] \\ & + \text{Prob}[Q_1(t_1) \cdot P_2(t_2) > P_1(t_2) \cdot Q_2(t_1) | \mathbf{u} = (0, 1)] \cdot \text{Prob}[\mathbf{u} = (0, 1) | \{P_1; f\} \& \{P_2; f\}\}] \\ & + \text{Prob}[Q_1(t_1) \cdot Q_2(t_2) > Q_1(t_2) \cdot Q_2(t_1) | \mathbf{u} = (0, 0)] \cdot \text{Prob}[\mathbf{v} = (0, 0) | \{P_1; f\} \& \{P_2; f\}\}]. \end{split}$$

Define
$$\pi_{ij} - \int \int P_1(t)^{u_i} Q_1(t)^{1-u_i} P_2(g)^{u_j} Q_2(g)^{1-u_j} f(t) f(g) dt dg$$
.

Then,
$$Prob[L_1(t_1,u_1) \cdot L_2(t_2,u_2) > L_1(t_2,u_2) \cdot L_2(t_1,u_1) | \{P_1;f\} \& \{P_2;f\}] =$$

$$\pi_{11} \operatorname{Prob}[P_{1}(t_{1}) \cdot P_{2}(t_{2}) > P_{1}(t_{2}) \cdot P_{2}(t_{1}) | \mathbf{u} = (1,1)] +$$

$$\pi_{10} \operatorname{Prob}[P_{1}(t_{1}) \cdot Q_{2}(t_{2}) > Q_{1}(t_{2}) \cdot P_{2}(t_{1}) | \mathbf{u} = (1,0)] +$$

$$\pi_{01} \operatorname{Prob}[Q_{1}(t_{1}) \cdot P_{2}(t_{2}) > P_{1}(t_{2}) \cdot Q_{2}(t_{1}) | \mathbf{u} = (0,1)] +$$

$$\pi_{00} \operatorname{Prob}[Q_{1}(t_{1}) \cdot Q_{2}(t_{2}) > Q_{1}(t_{2}) \cdot Q_{2}(t_{1}) | \mathbf{u} = (0,0)].$$

Similarly,
$$Prob[L_1(t_2,u_2) \cdot L_2(t_1,u_1) > L_1(t_1,u_1) \cdot L_2(t_2,u_2) | \{P_2;f\} \& \{P_1;f\}\} = Prob[P_1(t_2) \cdot P_2(t_1) > P_1(t_1) \cdot P_2(t_2) | \mathbf{u} = (1,1)] \cdot Prob[\mathbf{u} = (1,1) | \{P_2;f\} \& \{P_1;f\}\}] + Prob[P_1(t_2) \cdot Q_2(t_1) > Q_1(t_1) \cdot P_2(t_2) | \mathbf{u} = (1,0)] \cdot Prob[\mathbf{u} = (1,0) | \{P_2;f\} \& \{P_1;f\}\}] + Prob[Q_1(t_2) \cdot P_2(t_1) > P_1(t_1) \cdot Q_2(t_2) | \mathbf{u} = (0,1)] \cdot Prob[\mathbf{u} = (0,1) | \{P_2;f\} \& \{P_1;f\}\}] + Prob[Q_1(t_2) \cdot Q_2(t_1) > Q_1(t_1) \cdot Q_2(t_2) | \mathbf{u} = (0,0)] \cdot Prob[\mathbf{u} = (0,0) | \{P_2;f\} \& \{P_1;f\}\}].$$



Ther, $Prob[L_1(t_2,u_2) \cdot L_2(t_1,u_1) > L_1(t_1,u_1) \cdot L_2(t_2,u_2) | \{P_2;f\} & \{P_1;f\} \} =$

$$\pi_{11} \text{ Prob}[P_1(t_2) \cdot P_2(t_1) > P_1(t_1) \cdot P_2(t_2) | \mathbf{u} = (1,1)] +$$

$$\pi_{10} \text{ Prob}[P_1(t_2) \cdot Q_2(t_1) > Q_1(t_1) \cdot P_2(t_2) | \mathbf{u} = (1,0)] +$$

$$\pi_{01} \text{ Prob}[Q_1(t_2) \cdot P_2(t_1) > P_1(t_1) \cdot Q_2(t_2) | \mathbf{u} = (0,1)] +$$

$$\pi_{\infty} \operatorname{Prob}[Q_1(t_2) \cdot Q_2(t_1) > Q_1(t_1) \cdot Q_2(t_2) | \mathbf{u} = (0,0)].$$

Let $\Omega_{u_1u_2}$ be defined as that region of the ability space where

$$P_{1}(t_{1})^{u_{1}} \cdot Q_{1}(t_{1})^{u_{1}-1} \cdot P_{2}(t_{2})^{u_{2}} \cdot Q_{2}(t_{2})^{u_{2}-1} > P_{1}(t_{2})^{u_{2}} \cdot Q_{1}(t_{2})^{u_{2}-1} \cdot P_{2}(t_{1})^{u_{1}} \cdot Q_{2}(t_{1})^{u_{1}-1}$$

holds, and likewise let $\overline{\Omega}_{u_1u_2}$ be defined as that region of the ability space where

$$P_{1}(t_{2})^{u_{2}} \cdot Q_{1}(t_{2})^{u_{2}-1} \cdot P_{2}(t_{1})^{u_{1}} \cdot Q_{2}(t_{1})^{u_{1}-1} > P_{1}(t_{1})^{u_{1}} \cdot Q_{1}(t_{1})^{u_{1}-1} \cdot P_{2}(t_{2})^{u_{2}} \cdot Q_{2}(t_{2})^{u_{2}-1}$$

is true. Then

$$Prob[P_1(t_1) \cdot P_2(t_2) > P_1(t_2) \cdot P_2(t_1) | \mathbf{u} - (1,1)] - \iint_{\mathbf{g}_{11}} f(t) f(g) dt dg,$$

$$Prob[P_1(t_1) \cdot Q_2(t_2) > Q_1(t_2) \cdot P_2(t_1) | \mathbf{u} - (1,0)] - \int_{\mathbf{d}_{10}} f(t) f(g) dt dg,$$

$$Prob[Q_1(t_1) \cdot P_2(t_2) > P_1(t_2) \cdot Q_2(t_1) | \mathbf{u} - (0,1)] - \iint_{\mathbf{q}_{01}} f(t) f(g) dt dg,$$

and

$$Prob[Q_1(t_1) \cdot Q_2(t_2) > Q_1(t_2) \cdot Q_2(t_1) | \mathbf{u} - (0,0)] - \iint_{\mathbf{Q}_{00}} f(t) f(g) dt dg.$$



Then

$$Prob[P_1(t_2) \cdot P_2(t_1) > P_1(t_1) \cdot P_2(t_2) | \mathbf{u} - (1,1)] - \int_{\vec{a}_{11}} f(t) f(g) dt dg,$$

$$Prob[P_1(t_2) \cdot Q_2(t_1) > Q_1(t_1) \cdot P_2(t_2) | \mathbf{u} - (0,1)] - \iint_{\mathbf{Q}_{01}} \mathbf{f}(t) \ \mathbf{f}(g) \ dt \ dg,$$

Prob[
$$Q_1(t_2) \cdot P_2(t_1) > Q_2(t_2) \cdot P_1(t_1) | \mathbf{u} - (1,0)$$
] - $\int_{\tilde{\mathbf{u}}_{10}} f(t) f(g) dt dg$,

and

$$Prob[Q_1(t_2) - Q_2(t_1) > Q_1(t_1) - Q_2(t_2) | \mathbf{u} - (0,0)] - \iint_{\Omega_{00}} f(t) f(g) dt dg.$$

Thus, $Prob[\delta correct|model] =$

$$\pi_{11} \int_{\mathbf{q}_{11}}^{1} f(t) f(g) dt dg + \pi_{10} \int_{\mathbf{q}_{10}}^{1} f(t) f(g) dt dg + \pi_{01} \int_{\mathbf{q}_{01}}^{1} f(t) f(g) dt dg + \pi_{00} \int_{\mathbf{q}_{00}}^{1} f(t) f(g) dt dg + \pi_{11} \int_{\mathbf{q}_{11}}^{1} f(t) f(g) dt dg + \pi_{10} \int_{\mathbf{q}_{01}}^{1} f(t) f(g) dt dg + \pi_{01} \int_{\mathbf{q}_{01}}^{1} f(t) f(g) dt dg + \pi_{01} \int_{\mathbf{q}_{01}}^{1} f(t) f(g) dt dg + \pi_{00} \int_{\mathbf{q}_{00}}^{1} f(t) f(g) dt dg$$

or

$$\pi_{11} + \pi_{10} \{ \iint_{\Omega_{10}} f(t) f(g) dt dg + \iint_{\Omega_{01}} f(t) f(g) dt dg \} + \pi_{01} \{ \iint_{\Omega_{01}} f(t) f(g) dt dg + \iint_{\Omega_{10}} f(t) f(g) dt dg \} + \pi_{00} \}$$



Finally, $Prob[\delta correct] = Prob[\delta correct|model] - Prob[selecting a model]. Because each model is equally likely, the probability of selecting a model is equal to .5. Thus, <math>Prob[\delta correct] = .5(Prob[\delta correct|model])$.



Table 1
Original Item Parameters for the Compensatory Model

| | | | | E(p-v rh | | | |
|--------|----------------|----------------|-------|-------------|---------------------|-----|-----|
| Item # | a ₁ | a ₂ | d | .00 | .25 | .50 | .75 |
| 01 | 0.90 | 1.31 | -0.67 | .39 | .39 | .40 | .40 |
| 02 | 2.10 | 0.50 | -1.13 | .34 | .35 | .36 | .36 |
| 03 | 0.89 | 1.10 | 0.52 | .59 | .59 | .58 | .58 |
| 04 | 0.99 | 1.00 | -0.44 | .42 | .42 | .43 | .43 |
| 05 | 0.58 | 1.65 | 0.78 | .63 | .62 | .62 | .61 |
| 06 | 0.91 | 1.27 | 0.42 | .57 | .57 | .57 | .56 |
| 07 | 1.03 | 0.95 | 1.08 | .69 | .68 | .67 | .67 |
| 08 | 0.32 | 2.27 | 0.38 | .55 | .55 | .55 | .55 |
| 09 | 0.61 | 0.72 | 1.63 | .80 | .79 | .79 | .78 |
| 10 | 0.67 | 1.12 | 0.60 | .61 | .61 | .60 | .60 |
| 11 | 0.91 | 0.91 | -0.21 | .46 | .46 | .46 | .47 |
| 12 | 0.64 | 1.72 | -0.05 | .49 | .49 | .49 | .49 |
| 13 | 1.65 | 0.38 | 0.40 | .57 | <i>.</i> 5 6 | .56 | .56 |
| 14 | 0.18 | 1.61 | 1.84 | .78 | .78 | .78 | .77 |
| 15 | 0.82 | 1.02 | 0.09 | .52 | .52 | .52 | .51 |
| 16 | 1.45 | 0.81 | -0.24 | .46 | .46 | .46 | .46 |
| 17 | 1.64 | 0.62 | 0.85 | .64 | .63 | .63 | .62 |
| 18 | 0.77 | 0.76 | -0.91 | .32 | .33 | .34 | .34 |
| 19 | 1.46 | 0.62 | 0.10 | .52 | .52 | .52 | .52 |
| 20 | 0.39 | 1.37 | 0.32 | .56 | .56 | .55 | .55 |



Table 2

Item Parameters for the Noncompensatory Model with Rho = .00

| Item # | a ₁ | a ₂ | b ₁ | b ₂ | E(p-value) |
|--------|-----------------------|-----------------------|----------------|----------------|------------|
| 01 | 1.26 | 1.60 | -0.92 | -0.15 | .38 |
| 02 | 2.30 | 1.04 | 0,38 | -2,28 | .34 |
| 03 | 1.22 | 1.39 | -1.42 | -0.99 | .59 |
| 04 | 1.32 | 1.35 | -0.62 | -0.58 | .42 |
| 05 | 1.02 | 1.82 | -2.71 | -0.62 | .62 |
| 06 | 1.25 | 1.53 | -1.45 | -0.79 | .56 |
| 07 | 1.30 | 1.26 | -1.48 | -1.63 | .68 |
| 08 | 0.92 | 2.38 | -3.95 | -0.22 | .55 |
| 09 | 0.93 | 1.00 | -2.75 | -2.35 | .80 |
| 10 | 1.05 | 1.37 | -1.96 | -0.90 | .61 |
| 11 | 1.24 | 1.25 | -0.78 | -0.75 | .46 |
| 12 | 1.07 | 1.92 | -2.17 | -0.19 | .49 |
| 13 | 1.81 | 0.88 | -0.36 | -3.25 | .56 |
| 14 | 0.85 | 1.67 | -5.26 | -1.17 | .78 |
| 15 | 1.17 | 1.32 | -1.21 | -0.75 | .51 |
| 16 | 1.71 | 1.23 | -0.27 | -1.35 | .45 |
| 17 | 1.83 | 1.06 | -0.6. | -2.55 | .63 |
| 18 | 1.09 | 1.09 | -0.31 | -0.32 | .32 |
| 19 | 1.69 | 1.07 | -0.35 | -1.98 | .51 |
| 20 | 0.88 | 1.54 | -2.98 | -0.41 | .55 |



Table 3

Item Parameters for the Noncompensatory Model with Rho = .25

| Item # | a ₁ | a ₂ | b ₁ | b ₂ | E(p-value) |
|--------|----------------|-----------------------|----------------|----------------|------------|
| 01 | 1.38 | 1.74 | -0.79 | -0.14 | .39 |
| 02 | 2.40 | 1.14 | 0.35 | -1.88 | .34 |
| 03 | 1.36 | 1.50 | -1.27 | -0.91 | .58 |
| 04 | 1.44 | 1.45 | -0.56 | -0.51 | .42 |
| 05 | 1.17 | 1.94 | -2.30 | -0.60 | .61 |
| 06 | 1.40 | 1.66 | -1.28 | -0.73 | .56 |
| 07 | 1.45 | 1.40 | -1.34 | -1.47 | .72 |
| 08 | 1.05 | 2.47 | -3.30 | -0.22 | .55 |
| 09 | 1.02 | 1.09 | -2.49 | -2.17 | .79 |
| 10 | 1.17 | 1.47 | -1.72 | -0.85 | .60 |
| 11 | 1.34 | 1.34 | -0.71 | -0.68 | .46 |
| 12 | 1.21 | 2.06 | -1.82 | -0.20 | .49 |
| 13 | 1.90 | 0.98 | -0.36 | -2.80 | .56 |
| 14 | 0.93 | 1.72 | -4.65 | -1.15 | .78 |
| 15 | 1.29 | 1.42 | -1.08 | -0.69 | .51 |
| 16 | 1.84 | 1.33 | -0.27 | -1.16 | .45 |
| 17 | 1.97 | 1.20 | -0.66 | -2.19 | .62 |
| 18 | 1.15 | 1.16 | -0.28 | -0.27 | .33 |
| 19 | 1.80 | 1.18 | -0.35 | -1.71 | .51 |
| 20 | 0.98 | 1.61 | -2.57 | -0.40 | .55 |



Table 4

Item Parameters for the Noncompensator, Model with Rho = .50

| Item # | a ₁ | a ₂ | b _i | b ₂ | E(p-value) |
|--------|-----------------------|----------------|----------------|----------------|------------|
| 01 | 1.52 | 1.82 | -0.66 | -0.12 | .39 |
| 02 | 2.48 | 1.27 | 0.32 | -1.51 | .35 |
| 03 | 1.49 | 1.63 | -1.14 | -0.85 | .58 |
| 04 | 1.54 | 1.54 | -0.50 | -0.45 | .42 |
| 05 | 1.32 | 2.04 | -1.97 | -0.59 | .61 |
| 06 | 1.55 | 1.79 | -1.13 | -0.68 | .56 |
| 07 | 1.58 | 1.55 | -1.23 | -1.33 | .67 |
| 08 | 1.20 | 2.51 | -2.78 | -0.22 | .55 |
| 09 | 1.10 | 1.17 | -2.30 | -2.03 | .78 |
| 10 | 1.28 | 1.56 | -1.53 | -0.80 | .60 |
| 11 | 1.44 | 1.43 | -0.64 | -0.61 | .46 |
| 12 | 1.36 | 2.13 | -1.54 | -0.19 | .49 |
| 13 | 1.96 | 1.09 | -0.36 | -2.39 | .56 |
| 14 | 1.03 | 1.77 | -4.07 | -1.13 | .77 |
| 15 | 1.39 | 1.51 | -0.97 | -0.64 | .51 |
| 16 | 1.95 | 1.47 | -0.26 | -0.99 | .46 |
| 17 | 2.08 | 1.35 | -0.63 | -1.89 | .62 |
| 18 | 1.21 | 1.20 | -0.23 | -0.23 | .33 |
| 19 | 1.89 | 1.30 | -0.34 | -1.46 | .51 |
| 20 | 1.08 | 1.66 | -2.23 | -0.40 | .55 |



Table 5

Item Parameters for the Noncompensatory Model with Rho = .75

| Item # | a ₁ | a ₂ | b ₁ | b ₂ | E(p-value |
|--------|----------------|----------------|----------------|----------------|-----------|
| 01 | 1.65 | 1.92 | -0.51 | -0.10 | .40 |
| 02 | 2.53 | 1.43 | 0.31 | -1.14 | .35 |
| 03 | 1.60 | 1,73 | -1.01 | -0.77 | .58 |
| 04 | 1.63 | 1.64 | -0.42 | -0.39 | .43 |
| 05 | 1.48 | 2.14 | -1.67 | -0.57 | .61 |
| 05 | 1.69 | 1.92 | -0.98 | -0.62 | .56 |
| 07 | 1.69 | 1.66 | -1.13 | -1.21 | .66 |
| 08 | 1.36 | 2.57 | -2.25 | -0.22 | .55 |
| 09 | 1.15 | 1.21 | -2.17 | -1.93 | .78 |
| 10 | 1.38 | 1.63 | -1.36 | -0.76 | .60 |
| 11 | 1.50 | 1.51 | -0.56 | -0.54 | .46 |
| 12 | 1.53 | 2.23 | -1.22 | -0.19 | .49 |
| 13 | 1.98 | 1.26 | -0.36 | -1.99 | .56 |
| 14 | 1.15 | 1.78 | -3.60 | -1.11 | .77 |
| 15 | 1.47 | 1.59 | -0.85 | -0.59 | .51 |
| 16 | 2.03 | 1.63 | -0.23 | -0.81 | .46 |
| 17 | 2.15 | 1.53 | -0.61 | -1.60 | .62 |
| 18 | 1.24 | 1.24 | -0.18 | -0.18 | .34 |
| 19 | 1.94 | 1.44 | -0.33 | -1.23 | .51 |
| 20 | 1.17 | 1.70 | -1.92 | -0.40 | .55 |



Table 6

Compensatory Minus Noncompensatory Density Differences in Number-correct Score

| | rho | | | | | | |
|--------------------------|-------|------|------|-------|--|--|--|
| Number-correct score (y) | .00 | .25 | .50 | .75 | | | |
| 20 | .013 | .014 | .014 | .011 | | | |
| 19 | .015 | .012 | .009 | .004 | | | |
| 18 | .012 | .007 | .003 | .000 | | | |
| 17 | .007 | .003 | .000 | 002 | | | |
| 16 | .002 | 001 | 002 | 003 | | | |
| 15 | 003 | 003 | 004 | 003 | | | |
| 14 | 006 | 005 | 004 | 003 | | | |
| 13 | -,009 | 007 | 005 | 003 | | | |
| 12 | 011 | 007 | 005 | 002 | | | |
| 11 | 012 | 008 | 005 | 002 | | | |
| 10 | 012 | 008 | 004 | 001 | | | |
| 9 | 011 | 007 | 004 | - 001 | | | |
| 8 | 009 | 006 | 003 | .000. | | | |
| 7 | 006 | 004 | 002 | .001 | | | |
| 6 | 003 | 002 | 001 | .001 | | | |
| 5 | .001 | .000 | .001 | .002 | | | |
| 4 | .005 | .002 | .002 | .002 | | | |
| 3 | .008 | .005 | .003 | .002 | | | |
| 2 | .009 | .006 | .004 | .001 | | | |
| 1 | .008 | .006 | .003 | 001 | | | |
| 0 | 005 | .003 | .001 | 004 | | | |



Table 7

Central Moments of Number-correct Scores

| MIRT Models | rho | Mean | Second Central Moment | Third Central Moment | Fourth Central Moment |
|-----------------|-----|-------|-----------------------------|----------------------------|-----------------------------|
| | .00 | 10.90 | 25.79 | -16.56 | 1362.83 |
| Compensatory | .25 | 10.88 | 29.40 | -20.44 | 1680.36 |
| | .50 | 10.86 | 32.64 | -24.01 | 1980.03 |
| | .75 | 10.84 | 35.57 | -27.27 | 2262.98 |
| | .00 | 10.79 | 20.67 | -9.42 | 946.49 |
| Noncompensatory | .25 | 10.78 | 25.43 | -15.86 | 1336.75 |
| | .50 | 10.78 | 30.12 | -24.30 | 1760.64 |
| | .75 | 10.78 | 34.70 | -32.74 | 2200.57 |



Table 8

Ideal Observer Index

| | | rho | | | | | |
|--------|-------|-------|-------|-------|--|--|--|
| Item # | .00 | .25 | .50 | .75 | | | |
| 01 | .5479 | .5397 | .5295 | .5179 | | | |
| 02 | .5311 | .5265 | .5205 | .5128 | | | |
| 03 | .5513 | .5418 | .5307 | .5183 | | | |
| 04 | .5461 | .5377 | .5279 | .5171 | | | |
| 05 | .5421 | .5353 | .5265 | .5157 | | | |
| 06 | .5550 | .5451 | .5332 | .5194 | | | |
| 07 | .5511 | .5419 | .5304 | .5175 | | | |
| 08 | .5243 | .5212 | .5165 | .5102 | | | |
| 09 | .5276 | .5227 | .5162 | .5092 | | | |
| 10 | .5430 | .5351 | .5254 | .5149 | | | |
| 11 | .5435 | .5355 | .5260 | .5156 | | | |
| 12 | .5448 | .5375 | .5281 | .5166 | | | |
| 13 | .5291 | .5246 | .5185 | .5112 | | | |
| 14 | .5124 | .5109 | .5082 | .5048 | | | |
| 15 | .5456 | .5370 | .5271 | .5161 | | | |
| 16 | .5497 | .5411 | .5307 | .5182 | | | |
| 17 | .5442 | .5371 | .5276 | .5162 | | | |
| 18 | .5281 | .5232 | .5175 | .5114 | | | |
| 19 | .5425 | .5352 | .5260 | .5156 | | | |
| 20 | .5292 | .5241 | .5179 | .5108 | | | |



Table 9

Average Bias (parameter estimate - true parameter) and Standard Deviation of Bias in Estimates of the Generalized MIRT Model Parameters

| Response | - -1 | | | | 1 . | 1. | |
|-----------------|-------------|----------------|----------------|---------|----------------|-----------------------|--------|
| Data Model | rho | a ₁ | a ₂ | d | b ₁ | b ₂ | μ |
| | .00 | .044 | .024 | .069 | <u> </u> | · · · · · · | .013 |
| | | (.042) | (.073) | (.158) | | | (.009) |
| | .25 | .044 | .040 | .125 | | | .026 |
| Compensatory | | (.047) | (.042) | (.275) | | | (.052) |
| | .50 | .078 | .069 | .255 | | | .064 |
| | | (.055) | (.081) | (.238) | | | (.060) |
| | .75 | .098 | .113 | .787 | | | .107 |
| | | (.128) | (.080.) | (1.930) | | | (.094) |
| | .00 | 008 | .009 | | .130 | .230 | 199 |
| | | (.099) | (.115) | | (.448) | (354) | (.163) |
| | .25 | 006 | 004 | | .250 | .254 | 197 |
| Noncompensatory | | (.090) | (.083) | | (.622) | (.464) | (.144) |
| | .50 | .039 | 076 | | .191 | .183 | 200 |
| | | (.145) | (.104) | | (.888.) | (.265) | (.125) |
| | .75 | 155 | 059 | | .071 | .250 | 288 |
| | | (.220) | (.105) | | (.439) | (.421) | (.175) |

Note: standard deviations are in parentheses




Figure Captions

- Figure 1. Difference Between Compensatory and Noncompensatory True Scores: Rho = .00
- Figure 2. Difference Between Compensatory and Noncompensatory True Scores: Rho = .25
- Figure 3. Difference Between Compensatory and Noncompensatory True Scores: Rho = .50
- Figure 4. Difference Between Compensatory and Noncompensatory True Scores: Rho = .75
- Figure 5. Absolute Difference Between Compensatory and Noncompensatory Test Information Vectors: Rho = .00
- Figure 6. Absolute Difference Between Compensatory and Noncompensatory Test Information Vectors: Rho = .25
- Figure 7. Absolute Difference Between Compensatory and Noncompensatory Test Information Vectors: Rho = . 50
- Figure 8. Absolute Difference Between Compensatory and Noncompensatory Test Information Vectors: Rho = .75




Difference Between Compensatory and Noncompensatory True Scores: Rho = .00






Difference Between Compensatory and Noncompensatory True Scores: Rho = .25




Difference Between Compensatory and Noncompensatory True Scores: Rho = .50






Difference Between Compensatory and Noncompensatory True Scores: Rho = .75





Absolute Difference Between Compensatory and Noncompensatory Test Information Vectors: Rho = .00


The state of the s






Absolute Difference Between Compensatory and Noncompensatory Test Information Vectors:

Rho = .25






Absolute Difference Between Compensatory and Noncompensatory Test Information Vectors: Rho = .50





Absolute Difference Between Compensatory and Noncompensatory Test Information Vectors: Rho = .75



Dr. Terry Ackerman Educational Psychology 210 Education Bidg, University of Illanois Champagn, IL 41801

Dr. James Algina 1403 Norman Hall University of Florida Gainesville, FL 32605

Dr. Erling B. Andersen Department of Statistics Studiestrac3e 6 1455 Copenhagen DENMARK

Dr. Ronald Armstrong Rutgers University Graduate School of Management Newark, NJ 07102

Dr. Eva L. Baker UCLA Center for the Study of Evaluation 145 Moore Hall University of California Los Angeles, CA 90024

Dr. Laura L. Barnes College of Education University of Toledo 2801 W. Bancroft Street Toledo, OH 43606

Dr. William M. Bart University of Minnesota Dept. of Educ, Psychology 330 Burton Hall 178 Pilisbury Dr., S.E. Minneapota, MN 55455

Dr. Isaac Bejar Law School Admissions Services P.O. Box 40 Newtown, PA. 18940-0040

Dr. Menucha Birenhaum School of 'Alucation Tel Aviv University Ramat Aviv 69978 ISRAFI.

Dr. Arthur S. Blances Code N712 Naval Training Systems Center Orlando, FL 32813-7100

Dr. Beuce Blorom Defense Manpower Data Center 99 Pacific St. Suite 155A Monterey, CA 93943-3231

Cdt. Arnold Bohrer Sectie Psychologisch Onderzoek Rekruterings En Selecticcentrum Kwartier Koningen Astrid Bruijnstriat 1120 Bruisels, BELGIUM

Dr. Robert Bresus Code 281 Naval Training Systems Center Orlando, FL 32826-3224

Dr. Robert Brennari American College Testing Programs P. O. Box 168 Iowa City, IA 52243

Dr. Gregory Candell CTB/McGraw-Hill 2500 Garden Road Monterey, CA 91940 Dr. John B. Carroll 409 Elhott Rd., North Chapel Hill, NC 27514

Dr. John M. Carroll IBM Watson Research Center User Interface Institute P.O. Box 704 Yorktown Heights, NY 10598

Dr. Robert M. Carroll Chief of Naval Operations OP-01B2 Washington, DC 20350

Dr. Raymond E. Christal UES LAMP Science Advisor AFHRL/MOEL Brooks AFB, TX 78235

Mr. Hus Hus Chung University of Illinois Department of Statistics 101 Illini Hall 725 South Wright St. Champaign, IL 61820

Dr. Norman Cliff Department of Psychology Univ. of So. California Los Angeles, CA 90089-1061

Director, Manpower Program Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandra, VA 22302-0268

Director,
Manpower Support and
Readiness Program
Center for Naval Analysis
2000 North Beauregard Street
Alexandria, VA 22311

Dr. Stanley Collver
Office of Navai Technology
Code 222
800 N. Ouincy Street
Arlington, VA 22217-5000

Dr. Hans F. Crombag Faculty of Law University of Limburg P.O. Box 616 Massincht The NETHERLANDS 6200 MD

Ms. Carolim R. Crone Johns Hopkins University Department of Psychology Charles & 34th Street Baltimore, MD 21218

Dr. Timothy Davey American College Testing Program P.O. Box 108 Iowa City, IA 52243

Dr. C. M. Dayton
Department of Measurement
Statistics & Evaluation
College of Education
University of Maryland
College Park, MD 20742

Dr. Raiph J. DeAvala Measurement, Statistica, and Evaluation Benjamin Bids., Rm. 4112 University of Marviand College Park, MD 20742 Dr. Lou DiBello CERI, University of Illinois 103 South Mathews Avenue Urbana, IL 61801

Dr. Dattprasad Divg Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268

Mr. Hei-Ki Dong Bell Communications Research Room PYA-IK207 P.O. Box 1320 Piscataway, NJ 08855-1320

Dr. Fritz Drasgow University of Illimois Department of P.-ychology 603 E. Daniel St. Champaign, IL 61820

Defense Technical Information Center Cameron Station, Bldg 5 Alexandria, VA 22314 (2 Copies)

Dr. Stepben Dunbar 224B Lindquist Center for Measurement University of lowa lowa City, IA 52242

Dr. James A. Earles Air Force Human Resources Lab Brooks AFB, TX 78235

Dr. Susan Embretson University of Kansas Psychology Department 426 Fraser Lawrence, KS 60045

Dr. George Englehard, Jr. Division of Educational Studies Emory University 210 Fishburne Bldg. Adanta, GA 30322

ERIC Facility-Acquisitions 2440 Research Blvd, Suite 550 Rockville, MD 20850-3238

Dr. Benjamin A. Fairhank Operational Technologies Corp. 5825 Callaghan, Suite 225 San Antonio, TX 78228

Dr. Marshall J. Farr, Consultant Cognitive & Instructional Sciences 2520 North Vertion Street Arlington, VA 22207

Dr. P.A. Fedenco Code 51 NPRDC San Diego, CA 92152 6800

Dr. Leonard Feldt Lindquist Center for Measurement University of Iowa Iowa City, IA 52242

Dr. Richard L. Ferguson American College Testing P.O. Box lo8 Iowa City, 1A 52243

Dr. Gerhard Fischer Liebiggasse 5/3 A 1010 Vienna AUSTRIA



Dr. Myron Fischi U.S. Army Headquarters DAPE-MRR The Pentagon Washington, DC 20310-0300

Prof. Donald Fitzgerald University of New England Department of Psychology Armidate, New South Wales 2351 AUSTRALIA

Mr. Paul Foley Navy Personnel R&D Center San Diego, CA 92152-6800

Dr. Alfred R. Fregly APOSR/NL, Bidg. 410 Bolling AFB, DC 20332-6448

Dr. Robert D. Gibbons Blicois State Psychistric Inst. Res 529W 1601 W. Taylor Street Chicago, IL 60612

Dr. Janice Gifford University of Manachunetta School of Education Amberst, MA 01003

Dr. Drew Gitomer Educational Testing Service Princeton, NJ 08541

Dr. Robert Glaser Learning Research & Development Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15260

Dr. Sherrie Gott AFHRI/MOMJ Brooks AFB, TX 78235-5601

Dr. Bert Green Johns Hopkins University Department of Psychology Charles & 34th Street Baltimore, MD 21218

Michael Habon DORNIER GMBH P.O. Box 1420 D-7990 Friedrichshafen 1 WEST GERMANY

Prof. Edward Haertel School of Education Stanford University Stanford, CA 94305

Dr. Ronald K. Hambleton University of Massachusetts Laboratory of Psychometric and Evaluative Research Hills South, Room 152 Amberst, MA 01003

Dr. Delwyn Harnisch University of Illinois 51 Gerty Drive Champaign, IL 61820

Dr. Grant Henning Senior Research Scientist Division of Measurement Research and Services Educational Testing Service Princeton, NJ 08541

Ms. Rebecca Hetter Navy Personnel R&D Center Code 63 San Diego, CA 92152-6800 Dr. Thomas M. Hirsch ACT P. O. Box 168 Iowa City, IA 52243

Dr. Paul W. Holland Educational Testing Service, 21-T Rosedule Road Princeton, NJ 08541

Dr. Paul Horst 677 G Street, #184 Chula Vista, CA 92010

Ms. Julia S. Hough Cambridge University Press 40 West 20th Street New York, NY 10011

Dr. William Howell
Chief Scientist
AFHRL/CA
Brooks AFB, TX 78235-5601

Dr. Lloyd Humphreys University of Illinois Department of Psychology 603 East Daniel Street Champsign, IL 61820

Dr. Steven Hunks 3-104 Educ, N. University of Alberta Edmonton, Alberta CANADA T6G 205

Dr. Huynh Huynh College of Education Univ. of South Carolina Columbia, 2C 29208

Dr. Robert Jannarone Elec. and Computer Eng. Dept. University of South Carolina Columbia, SC 29208

Dr. Kumar Joag-dev University of Illinois Department of Statistics 101 Illini Hall 725 South Wright Street Champaign, IL 61820

Dr. Douglas H. Jones 1280 Woodfern Court Toms River, NJ 08753

Dr. Brian Junker Carnegie-Mellon University Department of Statistics Schenley Park Pittsburgh, PA 15213

Dr. Michael Kaptan Office of Basic Research U.S. Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333-5600

Dr. Mikton S. Katz
European Science Coordination
Office
U.S. Army Research Institute
Box 65
FPO New York: 00510-1500

Prof. John A. Keats Department of Psychology University of Newcastle N.S.W. 2308 AUSTRALIA Dr. Jwe-keun Kim Department of Psychology Middle Tennessoe State University P.O. Box 522 Murfreesboro, TN 37132

Mr. Soon-Hoon Kim Computer-based Education Research Laboratory University of Illinois Urbana, IL 61801

Dr. G. Gage Kingsbury Portland Public Schools Research and Evaluation Department 501 North Dixon Street P. O. Box 3107 Portland, GR 97209-3107

Dr. William Koch Box 7246, Mass, and Eval. Ctr. University of Texas-Austin Austin, TX 78703

Dr. Richard J. Koubek
Department of Biomedical
& Human Factors
139 Engineering & Math Bidg.
Wright State University
Dayton, OH 45435

Dr. Leonard Kroeker Navy Personnel R&D Center Code 62 San Diego, CA 92152-6800

Dr. Jerry Letinus Defense Manpower Data Center Suite 400 1600 Wilson Blvd Rosslyn, VA 22209

Dr. Thomas Leonard University of Wisconsin Department of Statistics 1210 West Dayton Street Madison, WI 53705

Dr. Michael Levine Educational Psychology 210 Education Bidg, University of Illinois Champaign, IL 61801

Dr. Charles Lews Educational Testing Service Princeton, NJ 08541-0001

Mr. Rodney Lim University of Illinois Department of Psychology 603 E. Daniel St. Champeign, IL 61820

Dr. Robert L. Linn Campus Box 249 University of Colorado Boulder, CO 80309-0249

Dr. Robert Lockman Center for Naval Arialysis 4401 Ford Avenue P.O. Box 16268 Alexandra, VA 22302-0268

Dr. Frederic M. Lord Educational Testing Service Princeton, NJ 08541

Dr. Richard Luechi ACT P. O. Box 168 fows City, IA 52243



Dr. George B. Macready Department of Measurement Statistics & Evaluation College of Education University of Maryland College Park, MD 20742

Dr. Gary Macco Stop 31-E Educational Testing Service Princeton, NJ 08451

Dr. Clessen J. Martin Offic of Chief of Naval Operations (OP 13 F) Navy Annex, Room 2832 Washington, DC 20350

Dr. James R. McBride HumRRO 6430 Elmburst Drive Sno Diego, CA 92120

Dr. Clarence C. McCormick HQ, USMEPCOMMEPCT 2500 Green Bay Road North Chicago, IL 60064

Mr. Christopher McCusker University of Illinois Department of Psychology 603 E. Daniel St. Champaign, IL 61820

Dr. Robert McKinley Educational Testing Service Princeton, NJ 08541

Mr. Alan Mead c/o Dr. Michael Levine Educational Psychology 210 Education Bldg. University of Illinois Champargn, IL 61801

Dr. Timothy Miller ACT P. O. Box 168 Iowa City, IA 52243

Dr. Robert Mislevy Educational Testing Service Princeton, NJ 08541

Dr. William Montague NPRDC Code 13 San Diego, CA 92152-6800

Ms. Kathleen Moreno Navy Personnel R&D Center Code 62 San Diego, CA 92152-6800

Headquarters Marine Corps Code MPI-20 Washington, DC 20380

Dr. Ratna Nandakumar Educational Studies Willard Hall, Room 213E University of Delaware Newark, DE 19716

Library, NPRDC Code P2011. San Diego, CA 92152-6800

Librarian
Naval Center for Applied Research
in Artificial Intelligence
Naval Research Laboratory
Code 5510
Washington, DC 20375-5000

Dr. Harold F. O'Neil, Jr. School of Education - WPH 801 Department of Educational Psychology & Technology University of Southern California Los Angeles, CA 90089-0031

Dr. James B. Obser WICAT Systems 1875 South State Street Orem, UT 84058

Office of Naval Research, Code 1142CS 800 N. Oussey Street Arlington, VA 22217-5000 (6 Copies)

Dr. Judith Orssenu Basic Research Office Army Research Institute 5001 Eisenhower Avenus Alexandria, VA 22333

Dr. Jesse Ortensky Institute for Defense Analyses 1801 N. Besuregard St. Alexandria, VA 22311

Dr. Peter J. Paihley Educational Testing Service Rosedale Road Princeton, NJ 08541

Wayne M. Patience Assercan Council on Education GED Testing Service, Suite 20 One Dupont Circle, NW Washington, DC 20036

Dr. James Paulson
Department of Psychology
Portland State University
P.O. Box 751
Portland, OR 97207

Dept. of Administrative Sciences Code 54 Naval Postgraduate School Monterey, CA 94943-5026

Dr. Mark D. Recksse ACT P. O. Box 168 Iowa City, IA 52243

Dr. Malcolm Ree AFHRL/MOA Brooks AFB, TX 78235

Mr. Steve Reas N660 Elliott Hall University of Minnesota 75 E. River Road Minnespolis, MN 55455-0344

Dr. Carl Rom CNET-PDCD Building 90 Great Lakes NTC, IL 60088

Dr. J. Ryan Department of Education University of South Carolina Columbia, SC 29208

Dr. Fumiko Samejima Department of Psychology University of Tennessee 3108 Austin Peay Bldg. Knowille, TN 37916-0900

Mr. Drew Sanda NPRDC Code 62 San Diego, CA 92152 6800 Lowell Schoer Psychological & Quantitative Foundations College of Education University of Johns John City, IA 52242

Dr. Mary Schratz 4100 Parkade Carlabad, CA 92008

Dr. Dan Segall Navy Personnel P&D Center San Diego, CA 92152

Dr. Robin Shealy University of Illinois Department of Statistics 101 Illini Hall 725 South Wright St. Champaign, IL 61820

Dr. Kanuo Shigemasu 7-9-24 Kugenuma-Kaigan Fujuswa 251 JAPAN

Dr. Randall Shumster Naval Research Laboratory Code 5510 4555 Overlook Avenue, S.W. Washington, DC 20375-5000

Dr. Richard E. Snow School of Education Stanford University Stanford, CA 94305

Dr. Richard C. Sorensen Navy Personnet R&D Center San Diego, CA 92152-6800

Dr. Judy Spray ACT P.O. Box 168 Jown City, IA 52243

Dr. Martha Stocking Educational Testing Service Princeton, NJ 08541

Dr. Peter Stoloff Center for Naval Analysis 4401 Ford Avenue P.O. Box 16268 Alexandria, VA 22302-0268

Dr. William Stout University of Illinois Department of Statistics 101 Illini Hall 725 South Wright St. Champaign, IL 61820

Dr. Hambaran Swatsinathan Laboratory of Psychometric and Evaluation Research School of Education University of Massachusetts Amberst, MA 01003

Mr. Brad Sympson Navy Personnel R&D Center Code-62 San Diego, CA 92152-6800

Dr. John Tangney AFOSR/NL, Bldg. 410 Boiling AFB, DC 20332-6448

Dr. Kikumi Tatsuoka Educational Testing Service Mail Stop 03-T Princeton, NJ 08541



Dr. Maurice Tataucka Educational Testing Service Mail Stop 03-T Princeton, NJ 08541

Dr. David Thissen Department of Psychology University of Kansas Lawrence, KS 66044

Mr. Thomas J. Thomas Johns Hopkins University Department of Psychology Charles & 34th Street Baltimora, MD 21218

Mr. Gary Thomasson University of Illinos Educational Psychology Champagn, IL 61820

Dr. Robert Tsutakawa University of Missouri Department of Statistics 222 Math. Sciences Bidg. Cohambia, MO 65211

Dr. Ledyard Tucker University of Illinois Department of Psychology 603 E. Daniel Street Champaign, IL 61820

Dr. David Vale Assessment Systems Corp. 2233 University Avenue Suite 440 St. Paul, MN 55114

Dr. Frank L. Vicino Navy Penionnel R&D Center San Diego, CA 92152-6800

Dr. Howard Wainer Educational Testing Service Princeton, NJ 08541

Dr. Michael T. Wafter University of Wisconsin-Milwaukee Educational Psychology Department Box 413 Milwaukee, WI 53201

Dr. Ming-Mei Wang Educational Testing Service Mail Stop 03-T Princeton, NJ 08541

Dr. Thomas A. Warm FAA Academy AAC934D P.O. Box 25082 Oklahoma Csty, OK 73125

Dr. Brian Waters HumRRO 1100 S. Washington Alexandria, VA 22314

Dr. David J. Weiss Noo Elliott Hall University of Minnesota 75 E. River Road Minnespolis, MN 55455-0344

Dr. Ronald A. Weitzman Box 146 Carmel, CA 93921

Major John Welsh AFHRL/MOAN Brooks AFB, TX 78223

Dr. Douglas Wetzel Code 51 Navy Personnel R&D Center San Diego, CA 92152-6800 Dr. Rand R. Wilcox University of Southern California Department of Psychology Los Angeles, CA 9008-1061

German Military Representative ATTN: Wolfgang Wildgrube Streitkreefteamt D-5300 Bonn 2 4000 Brandywine Street, NW Washington, DC 20016

Dr. Bruce Williams Department of Educational Psychology University of Illinois Urbana, IL 61801

Dr. Hilda Wing Federal Avistion Administration 800 Independence Ave, SW Washington, DC 20591

Mr. John H. Wolfe Navy Personnel R&D Censer San Diego, CA 92152 6800

Dr. George Wong Biostatistics Laboratory Memorial Stoan-Kettering Cancer Center 1275 York Avenue New York, NY 10021

Dr. Wallace Wulfeck, III Navy Personnel R&D Center Code 51 Sen Diego, CA 92152-6800

Dr. Kentaro Yamamoto 02-T Educational Testing Service Rosedale Road Princeton, NJ 08541

Dr. Wendy Yen CTB/McGraw Hill Del Monte Research Park Monterey, CA 93940

Dr. Joseph L. Young National Science Foundation Room 320 i800 G Street, N.W. Washington, DC 20550

Mr. Anthony R. Zara National Council of State Boards of Nursing, Inc. 625 North Michigan Avenue Suite 1544 Chicago, IL. 60611

